


Universal Dual Tablet Stand


PROPER

User Guide




What is Included

1x Dual Tablet Stand





1x Connect Adapter



Base Dimensions

Use the drawings below with your selected tablet dimensions to confirm adequate countertop clearance.


Units: mm



Mounting Dimensions

Refer to the drawings below for the correct countertop pass through hole size and hole pattern, ensuring a cleaner countertop aesthetic.


Units: mm



Instructions


Step 1:

Before mounting the Dual Tablet Stand, determine how the cables will be routed. The diagram on the next page illustrates the available cable routing options, with and without a countertop pass through.



Step 2:

To Mount the Dual Tablet Stand, gently removing the 4 adhesive films using the pull tabs as shown below.




Step 3:

Carefully align the Dual Tablet Stand with the chosen surface before placement. Once positioned, apply firm, even pressure for 20–30 seconds to ensure a strong bond. If you are using the cable pass through hole without a countertop pass through, route the cable before adhering the stand to the surface.


Step 4:

To mount your Connect Adapter to your chosen tablet begin by gently removing the 4 adhesive films using the pull tabs as shown below




Step 5:

Carefully align and place the Connect Adapter on to the chosen tablet. Apply steady pressure for 20-30 seconds to ensure a strong bond.



Step 6:

Position the tablets onto the mount surfaces of the Dual Tablet Stand at 45° angles, ensuring the X-shaped cavities on the Connect Adapters aligns and seats correctly with the corresponding X-shaped details on the stand.



Step 4:

Once seated, rotate the tablets 45° until clicks are heard.

