


# Universal POS Pivot Stand

---


PROPER

User Guide




## What is Included

1x Pivot Stand





1x Connect Adapter



## Base Dimensions

Use the drawings below with your selected tablet dimensions to confirm adequate countertop clearance.



Units: mm



## Mounting Dimensions

Use the drawings below as a hole pattern reference when mounting your POS Pivot Stand and preparing compatible mounting hardware.

Units: mm




# Instructions

## Step 1:


Use the Mounting Dimensions drawings (page 4) as a guide to supply hardware and accurately secure for fixed countertop/wall mounting using screws. Use this drawing also as a guide for drilling a cable pass through hole for a clean look.

Use the drawing below as a guide for how to route tablet charging cable through the pass through hole.



**Step 2:**


For adhesive mounting, gently removing the adhesive film using the pull tab as shown below.

**Step 3:**

Carefully align and place the POS Pivot Stand on to the chosen surface. Apply steady pressure for 20-30 seconds to ensure a strong bond. If using the cable pass through hole, make sure to route the cable before adhering the stand to the surface.


**Step 4:**

To mount your Connect Adapter to your chosen tablet begin by gently removing the 4 adhesive films using the pull tabs as shown below




**Step 5:**

Carefully align and place the Connect Adapter on to the chosen tablet. Apply steady pressure for 20-30 seconds to ensure a strong bond.



**Step 6:**

Position the tablet onto the mount surface of the POS Pivot Stand at a 45° angle, ensuring the X-shaped cavity on the Connect Adapter aligns and seats correctly with the corresponding X-shaped detail on the stand.



**Step 4:**

Once seated, rotate the tablet 45° until a click is heard.

